

## **Glass Walls**

## **Glass Walls**

### Key features



#### **RAPID DELIVERY**

Due to the modular nature of our glass system, we are able to deliver tailored glass systems to meet exceptionally quick lead times.

#### SUPERIOR ACOUSTIC PERFORMANCE

Industry-leading acoustic ratings up to 57 dB, independently tested for guaranteed sound isolation.

#### **SLEEK AND MINIMALISTIC DESIGN**

Seamlessly configure any space with single and double glaze partitions that integrate beautiful within surrounding structures.

#### **CIRCULAR ECONOMY PIONEER**

JUUNOO's glass system sets new standards for sustainable construction through innovative circular design principles.

# **JUUNOO Single Glaze**

### Technical data sheet

Glass panel thickness and type	Acoustic rating
3/8" tempered	32 dB
1/2" tempered	33 dB
1/2" laminated	35 dB
5/8" laminated	37 dB
Maximum wall height	137 13/16" (±5/16")
Panel dimensions	By default: 35 3/8" x 91 7/8"
	or made to measure, tailored to jobsite requirements
Glass material options	Clear by default, low-iron, others upon request
Profile material	Aluminum (80% recycled materials)
Profile finish options	

White

Black





Silver

Total profile dimension (W x H) 1 3/16" x 1 1/8"

## **JUUNOO Double Glaze**

#### Technical data sheet

Glass panel thickness and type

1/2" laminated

5/8" laminated acoustic

Maximum wall height

**Panel dimensions** 

**Glass material options** 

**Profile material** 

**Profile finish options** 

**Acoustic rating** 

50 dB

57 dB

137 13/16" (±5/16")

By default 35 /8" x 91 7/8"

or made to measure, tailored to jobsite requirements

Clear by default, low-iron, others upon request

Aluminum (80% recycled materials)





Black



White

6

Silver





Total profile dimension

(W x H) 5" x 1 1/8" (adjustable width)



Copyright © 2025 JUUNOO, Inc.

+1 (929) 930-2185 41 Union Square W, 320 New York, NY 10003

